



Company Profile

Established in the year 2005, we PERFECT TILES, are leading name in the manufacturing & supplying of paver blocks, chequered tiles, interlock tiles, Kerb Stone and other related products. Our range is precisely manufactured and known for attributes like high strength, innovative designs, durability and dimensional accuracy, resistance to stains & scratches and good finishing. It is used in road construction, building construction, exterior designing, and footpath.

Our product line entails Interlocking Paver Blocks, Glazed Tiles, Chequered Tiles, wall tiles, Kerb Stone, RCC Drain Cover, SFRC Slab, RCC Manhole cover with Frame, RCC Fencing/Grill, Bollard, Boundary wall, RCC Poles and Concrete Bench etc. Tremendous Installation Services of Pavement Blocks are also provided by us. The tiles and blocks have received commendation for zero maintenance, high strength, easy re-usability, attractive designs and easy installation.

Precast Concrete Products

Precast Concrete Products are manufactured at our manufacturing unit that has all the modern facilities in place. Moreover, we also practice total quality management, which has helped us in carving a niche in the industry. Our range of products is extensively used in cities, urban as well as in rural areas. The range of products offered by us is widely appreciated for its dimensional accuracy, durability and tensile strength. Also, we can customize our products as per the specification.

INTERLOCKING PAVER BLOCKS

We are engaged in offering a wide range of Paving Blocks which is available in numerous vibrant colors, designs, sizes and shapes. These blocks find their usage in various heavy, medium and light applications, and can be customized as per the client's specifications. Our range of Interlocking Concrete Paver Blocks comes in several sizes and each size finds its application in different areas, mentioned below:

- 60mm- Light traffic
- 80mm- Medium traffic
- 100mm- Heavy traffic

ADVANTAGES OF INTERLOCKING PAVING BLOCKS

- Low maintenance and replacement costs.
- Provide easy access underground services and utilities. Subsequent replacement of underground services does not require any visual or structural changes.
- Low installation costs because unskilled labor can be used to lay the blocks.
- Negligible noise and dust during installation/reinstallation.
- Compared to concrete, construction waste is low.
- Easy to install and available for immediate use, unlike concrete which must harden.
- Are available in a variety of aesthetic options; colors, patterns, shapes, etc.

SPECIFICATIONS:


SHAPE	AS PER CHOICE
EDGES	CHAMFERED
APPLICATION	WALKY DRIVEWAY INDUSTRIAL
THICKNESS	30/40 MM 40/50MM 60/80 MM 80/100MM
COMPRESSIVE STRENGTH	150 Kg/sq.cm 200 Kg/sq.cm 350 Kg/sq.cm
BED PREPARATION	WBM, LEAN PCC (1:4:8: OR 1:5:10)
FIXING MEDIUM	SAND WITH VIBRATORY COMPACTION (25 TO 50MM)
CHEMICAL COATING	OPTIONAL (SILICON, POLYURETHANE OR EPXOY RESIN BASED.)
GROUTING	DRY TO WET GROUTING
EDGE RESTRAINT	KERB STONE OR RETANING WALL
MOULDS USED	MOULDS HIGH PRECISION MAGNESIUM STEEL.

Approved By : DMRC, PWD, NCRTC, HSIIDC & DDA


INTERLOCKING CHECKERED TILES



Tech Tiles 1 (300x300x60mm)




Tech Tiles 2 (300x300x60mm)




PTC 1 (300x300x25mm)



PTC 2
(300x300x25mm)



PTC 3 (300x300x25mm)




PTC 4 (300x300x25mm)



PTC 5 (300x300x25mm)

INTERLOCKING PAVING TILES



PT 1-Dumble
(200 x 160 x 60 mm)
(200 x 160 x 80mm)
(200 x 160 x 100mm)




PT 2- Milano
(270 x 218x 60mm)
(270 x 245 x 80 mm)



PT 3-Zebra
(250 x 123 x 60 mm)
(250 x 123 x 80mm)
(250 x 123 x 100mm)



PT 4- (210 x 210x 60mm)



**PT 5
Hexagon**

INTERLOCKING PAVING TILES



PT 6-Bricks
(300 x 150 x 60mm)




PT 8-Bricks
(300 x 300 x 60mm)




PT 7-Bricks
(300 x 300 x 60 mm)



PT 9-Bricks
(300 x 300 x 60 mm)



PT 10-Bricks
(200 x 200 x 60 mm)



PT 11-Bricks
(200 x 200 x 60 mm)

INTERLOCKING PAVING TILES




PT 12- Damroo (60 mm)



PT 13
Oxford Type



PT 14
(210 x 210x 60mm)



PT 15 Bricks
(300x150x60mm)




PT 17 Bricks
(200x100x60mm)



PT 16 Bricks
(200x200x60 mm)


GRC WALL CLADDING




GWC-01



GWC-02



GWC-03



GWC-04

INTERLOCKING GRASS PAVER




PTGP 1
(300 x 300 x 60 mm)



PTGP 2
(300 x 300 x 60 mm)



PTGP 3
(300 X 300X60mm)



150 mm

300 mm



Kerb Stone
(400x375x200x110mm)



Saucer Train
(300x300x100x75mm)



Kerb Stone
(300x300x150mm)





Kerb Stone
(300x300x150mm)

KERB STONE



RCC DRAIN COVER/SLAB



SFRC MANHOLE COVER & FRAME



RCC BLOCK



Hollow Block
(400x200x200mm)



Solid Blok
(400x200x200mm)



RCC POLES



RCC BOUNDARY WALL





RCC FENCING/GRIL



RCC HUME PIPE



RCC BOLLARD



CONCRETE BENCHES





PERFECT TILES

**Khasra No. 28-29, Main Industrial Area, Badshahi Road,
Khera Kalan, Delhi - 110082 (INDIA)**

Ph.: +91 9810738241, 9891077985

E-mail: perfect_tiles@perfectgroup.co.in, perfect_tiles@rediffmail.com

Website : www.perfecttiles.in